L Number	Hits	Search Text	DB	Time stamp
1	1	("5097471").PN.	USPAT; US-PGPUB	2004/10/21 19:30
2	606	laser near3 diode and align$4 and (mirror$1 or reflector$1 or lens$2 or (output near3 coupl$2)) and mode near3 lock$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 18:35
3	4	laser near3 diode and ((align$4 near3 (variat$3 or perturb$6)) with (mirror$1 or reflector$1 or lens$2 or (output near3 coupl$2))) and mode near3 lock$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 18:39
4	4	laser near3 diode and ((align$4 near3 (variat$3 or perturb$6)) same (mirror$1 or reflector$1 or lens$2 or (output near3 coupl$2))) and mode near3 lock$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 18:40
5	4	laser near3 diode and ((align$4 near3 (chang$3)) same (mirror$1 or reflector$1 or lens$2 or (output near3 coupl$2))) and mode near3 lock$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 18:43
6	18	laser near3 diode and ((align$4 near3 (chang$3)) and (mirror$1 or reflector$1 or lens$2 or (output near3 coupl$2))) and mode near3 lock$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 18:47
7	0	(mode near3 locking near3 laser) with misalign$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 18:49
8	4	(mode near3 locking) with misalign$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 18:50
9	21	(mode near3 locking) SAME misalign$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 18:50
10	17	((mode near3 locking) SAME misalign$4) not ((mode near3 locking) with misalign$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 18:59
11	0	klm near3 laser near3 diode	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 18:59
12	8	kerr near6 laser near3 diode	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 19:02
14	3	(kerr with laser near3 diode) and mode near3 lock$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 19:02
13	39	kerr with laser near3 diode	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 19:10
15	121	kerr near3 effect and semiconductor near3 laser near3 diode	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 19:10
16	18	(kerr near3 effect and semiconductor near3 laser near3 diode) and 372/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 19:10
17	0	("thirdnear3ordernear3opticalnear3medium").PN.	USPAT; US-PGPUB	2004/10/21 19:19

18	112	third near3 order near3 optical near3 medium	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 19:20
19	17	(third near3 order near3 optical near3 medium) with laser near3 diode	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 19:20
24	1254	self near3 phase near3 modulat$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 19:30
25	62	self near3 phase near3 modulat$3 same mode near3 lock$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 19:31
26	29	(self near3 phase near3 modulat$3 same mode near3 lock$3) and laser near3 diode	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 19:40
27	661	dfb near3 laser near3 diode	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 19:40
28	15	(dfb near3 laser near3 diode) same mode near3 lock$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 19:42
29	58	(dfb near3 laser near3 diode) and mode near3 lock$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 19:43
30	18	((dfb near3 laser near3 diode) and mode near3 lock$3) and ring	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 19:44
33	54	((dfb near3 laser near3 diode) and mode near3 lock$3) and (mirror$1 or reflect$3 or lens$2 or outcoupler or (output near3 coupler))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 19:45
34	37	(((dfb near3 laser near3 diode) and mode near3 lock$3) and (mirror$1 or reflect$3 or lens$2 or outcoupler or (output near3 coupler))) not (((dfb near3 laser near3 diode) and mode near3 lock$3) and ring)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 19:45
-	2609	semiconductor near laser near diode	USPAT; US-PGPUB	2004/10/20 10:35
-	2084	semiconductor adj laser adj diode	USPAT; US-PGPUB	2002/10/19 18:17
-	95	(semiconductor adj laser adj diode) and mode near lock$3	USPAT; US-PGPUB	2002/10/19 18:18
-	51	((semiconductor adj laser adj diode) and mode near lock$3) and passive$3	USPAT; US-PGPUB	2002/10/19 18:18
-	20	((semiconductor adj laser adj diode) and mode near lock$3) and passive$3 near mode near lock$3	USPAT; US-PGPUB	2002/10/19 18:19
-	20	(semiconductor adj laser adj diode) and (passive$3 near mode near lock$3)	USPAT; US-PGPUB	2002/10/19 18:19
-	160	(counterpropagating near (waves or pulses))	USPAT; US-PGPUB	2002/10/19 18:41
-	10	((counterpropagating near (waves or pulses))) and (passive$3 near mode near lock$3)	USPAT; US-PGPUB	2002/10/19 18:47
-	1	(((counterpropagating near (waves or pulses))) and (passive$3 near mode near lock$3)) and (semiconductor near laser near diode)	USPAT; US-PGPUB	2002/10/19 18:44
-	5	(((counterpropagating near (waves or pulses))) and (passive$3 near mode near lock$3)) and (laser near diode)	USPAT; US-PGPUB	2002/10/19 18:44
-	130	(laser near diode) and (passive$3 near mode near lock$3)	USPAT; US-PGPUB	2002/10/19 18:56

-	49	((laser near diode) and (passive$3 near mode near lock$3)) not (saturable adj absorber)	USPAT; US-PGPUB	2002/10/19 18:49
-	16	(((laser near diode) and (passive$3 near mode near lock$3)) not (saturable adj absorber)) and (align$4 or misalign$4)	USPAT; US-PGPUB	2002/10/19 18:50
-	10	misalign$4 and (passive$3 near mode near lock$3)	USPAT; US-PGPUB	2002/10/19 18:56
-	0	misalign$4 near (passive$3 near mode near lock$3)	USPAT; US-PGPUB	2002/10/19 19:00
-	76	self near mode near lock$3	USPAT; US-PGPUB	2002/10/19 19:30
-	0	((self near mode near lock$3) and (laser near diode)) and realign$4	USPAT; US-PGPUB	2002/10/19 19:02
-	5	((self near mode near lock$3) and (laser near diode)) and misalign$4	USPAT; US-PGPUB	2002/10/19 19:02
-	25	(self near mode near lock$3) and (laser near diode)	USPAT; US-PGPUB	2002/10/19 19:06
-	18	((self near mode near lock$3) and (laser near diode)) not (saturable adj absorber)	USPAT; US-PGPUB	2002/10/19 19:30
-	5	(self near mode near lock$3) and ring near cavity	USPAT; US-PGPUB	2002/10/19 19:31
-	185	(laser near diode) and (ring near cavity)	USPAT; US-PGPUB	2002/10/19 19:32
-	62	((laser near diode) and (ring near cavity)) and (mode near lock$3)	USPAT; US-PGPUB	2002/10/19 19:39
-	37	(((laser near diode) and (ring near cavity)) and (mode near lock$3)) and (self or passive$3)	USPAT; US-PGPUB	2002/10/19 19:33
-	22	((((laser near diode) and (ring near cavity)) and (mode near lock$3)) and (self or passive$3)) not (saturable adj absorber)	USPAT; US-PGPUB	2002/10/19 19:33
-	1	((laser near diode) and (ring near cavity)) and (self near mode near lock$3)	USPAT; US-PGPUB	2002/10/19 19:45
-	2084	semiconductor adj laser adj diode	USPAT; US-PGPUB	2002/10/19 19:46
-	18	(semiconductor adj laser adj diode) and 372/94.ccls.	USPAT; US-PGPUB	2002/10/19 19:51
-	1	((semiconductor adj laser adj diode) and 372/94.ccls.) and (passive$3 near mode near lock$3)	USPAT; US-PGPUB	2002/10/19 19:48
-	0	((semiconductor adj laser adj diode) and 372/94.ccls.) and (self near mode near lock$3)	USPAT; US-PGPUB	2002/10/19 19:48
-	6	((semiconductor adj laser adj diode) and 372/94.ccls.) and (mode near lock$3)	USPAT; US-PGPUB	2002/10/19 19:48
-	99	laser adj diode and 372/94.ccls.	USPAT; US-PGPUB	2002/10/19 19:52
-	1	(laser adj diode and 372/94.ccls.) and self adj mode adj locking	USPAT; US-PGPUB	2002/10/19 19:52
-	6	(laser adj diode and 372/94.ccls.) and passive adj mode adj locking	USPAT; US-PGPUB	2002/10/19 19:55
-	50	(semiconductor adj laser adj diode) and ((ring near cavity) or (ring near laser))	USPAT; US-PGPUB	2002/10/19 19:56
-	1	((semiconductor adj laser adj diode) and ((ring near cavity) or (ring near laser))) and ((self adj mode adj lock$3) or (passive adj mode adj lock$3))	USPAT; US-PGPUB	2002/10/19 19:57
-	5141	semiconductor near laser near diode	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/27 12:53
-	28	(semiconductor near laser near diode) and passive$3 near3 mode near3 lock$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/27 13:14
-	23	((semiconductor near laser near diode) and passive$3 near3 mode near3 lock$3) and method	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/27 12:55
-	17	(semiconductor near laser near diode) and passive$3 near3 resonator	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/27 13:14

-	6	((semiconductor near laser near diode) and passive$3 near3 resonator) and mode near3 lock$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/27 13:25
-	8	((passive near3 resonat$3) and mode near3 lock$3) and (align$4 or misalign$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/27 13:32
-	6	((passive near3 resonat$3) and mode near3 lock$3) and mirror$1 near3 (adjust$4 or rotat$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/27 13:33
-	1	"6021140".PN.	USPAT	2003/07/27 13:43
-	1	"5610759".PN.	USPAT	2003/07/27 13:44
-	1	"5390211".PN.	USPAT	2003/07/27 13:44
-	1	"5296960".PN.	USPAT	2003/07/27 13:44
-	1	"5278852".PN.	USPAT	2003/07/27 13:45
-	1	"4914658".PN.	USPAT	2003/07/27 13:45
-	33	(passive near3 resonat$3) and mode near3 lock$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/27 14:02
-	252	semiconductor near3 ring near3 laser	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/27 13:53
-	4	(semiconductor near3 ring near3 laser) and (passive$3 near3 mode near3 lock$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/27 13:55
-	1	((semiconductor near3 ring near3 laser) and passive near3 resonat$3) and mode near3 lock$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/27 13:55
-	23	(semiconductor near3 ring near3 laser) and passive near3 resonat$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/27 13:56
-	102	(passive near3 resonat$3) and ((frequency or mode) near3 lock$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/27 14:03
-	100011	semiconductor near5 laser	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/27 14:04
-	36	((passive near3 resonat$3) and ((frequency or mode) near3 lock$3)) and semiconductor near5 laser	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/27 14:09
-	5	"5383198"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/27 14:09
-	1	("5383198").PN.	USPAT; US-PGPUB	2003/07/27 14:10
-	31	(laser near3 diode) and ((frequency or mode) near3 lock$3) and passive near3 resonat$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/27 14:15
-	19	((laser near3 diode) and ((frequency or mode) near3 lock$3) and passive near3 resonat$3) and (align$4 or misalign$4 or realign$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/27 14:29
-	6	(semiconductor near3 laser near3 diode) and (passive near3 resonator) and (mode near3 lock$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/27 14:34

-	1	(semiconductor near3 laser near3 diode) and (passive near3 resonator) and (self near3 mode near3 lock$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/27 14:35
-	3	(passive near3 resonator) and (self near3 mode near3 lock$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/27 14:36
-	248	(self near3 mode near3 lock$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/27 14:36
-	69	((self near3 mode near3 lock$3)) and laser near diode	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/27 14:37
-	1	((((self near3 mode near3 lock$3)) and laser near diode) and perturbation and (misalign$4 or realign$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/27 14:38
-	23	((((self near3 mode near3 lock$3)) and laser near diode) and (perturbation or misalign$4 or realign$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/27 15:28
-	15	laser near diode and (ring near cavity) and (passive$3 near mode near lock$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/27 15:38
-	1	("4405236").PN.	USPAT; US-PGPUB	2003/07/27 15:32
-	0	("71andmode").PN.	USPAT; US-PGPUB	2003/07/27 15:33
-	0	(("4405236").PN.) and mode	USPAT; US-PGPUB	2003/07/27 15:33
-	0	(("4405236").PN.) and lock$3	USPAT; US-PGPUB	2003/07/27 15:34
-	51	semiconductor near ring near laser	USPAT; US-PGPUB	2003/07/27 15:34
-	7	(semiconductor near ring near laser) and mode near lock$3	USPAT; US-PGPUB	2003/07/27 15:34
-	3	laser near diode and (ring near cavity) and (passive$3 near resonator)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/27 15:57
-	780	372/94.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/27 15:57
-	51	372/94.ccls. and passive and mode near lock$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/27 15:58
-	28	(372/94.ccls. and passive and mode near lock$3) and diode	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/07/27 15:58
-	13	passive near3 mode near3 lock$3 and (align$8 or misalign$8) and defect$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/20 10:36
-	26	passive$2 near3 mode near3 lock$3 and (align$8 or misalign$8) and defect$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/20 11:19
-	97	passive$2 near3 mode near3 lock$3 and ring near3 laser	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/20 11:41

-	1	laser near3 diode near3 facet$1 same ion near3 implant$8	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/20 11:42
-	0	laser near3 diode near3 facet$1 near3 defect$1	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/20 11:42
-	2	laser near3 diode near3 facet$1 with defect$1	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/20 11:43
-	11	laser near3 diode near3 facet$1 same defect$1	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/20 14:03
-	80	mode near3 lock$3 same ((misalign$6 or tilt$3 or adjust$6) near3 (mirror$1 or reflect$3 or (output near3 coupl$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/20 14:15
-	7	mode near3 lock$3 near3 ((misalign$6 or tilt$3 or adjust$6) near3 (mirror$1 or reflect$3 or (output near3 coupl$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/20 14:58
-	259	passive$2 near3 mode near3 lock$3 not saturable near3 absor$6	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/20 14:57
-	259	(passive$2 near3 mode near3 lock$3) not saturable near3 absor$6	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/20 14:57
-	259	(passive$2 near3 mode near3 lock$3) not (saturable near3 absor$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/20 16:12
-	28	((passive$2 near3 mode near3 lock$3) not (saturable near3 absor$6)) and ((misalign$6 or tilt$3 or adjust$6) near3 (mirror$1 or reflect$3 or (output near3 coupl$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/20 16:05
-	41	((passive$2 near3 mode near3 lock$3) not (saturable near3 absor$6)) and ring near3 laser	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/20 16:02
-	33	((passive$2 near3 mode near3 lock$3) not (saturable near3 absor$6)) and (($align$6 or tilt$3 or adjust$6) near3 (mirror$1 or reflect$3 or (output near3 coupl$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/20 16:06
-	18	((passive$2 near3 mode near3 lock$3) not (saturable near3 absor$6)) and (($align$6 or tilt$3) near3 (mirror$1 or reflect$3 or (output near3 coupl$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/20 16:09
-	8	((passive$2 near3 mode near3 lock$3) not (saturable near3 absor$6)) and ((misalign$6 or tilt$3 or unalign$6) near3 (mirror$1 or reflect$3 or (output near3 coupl$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/20 16:13
-	596	372/18.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/20 16:12
-	161289	(passive$2) not (saturable near3 absor$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/20 16:20
-	100	372/18.ccls. and ((passive$2) not (saturable near3 absor$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/20 16:12

-	7	(372/18.ccls. and ((passive$2) not (saturable near3 absor$6))) and ((misalign$6 or tilt$3 or unalign$6 or (out near3 alignment)) with (mirror$1 or reflect$3 or (output near3 coupl$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/20 16:27
-	100	372/18.ccls. and (passive$2) not (saturable near3 absor$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/20 16:26
-	26	(372/18.ccls. and (passive$2) not (saturable near3 absor$6)) and ring near3 laser	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/20 16:21
-	26	(372/18.ccls. and (passive$2) not (saturable near3 absor$6)) and ring near3 laser	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/20 16:22
-	21	(372/18.ccls. and (passive$2) not (saturable near3 absor$6)) and ring near3 cavity	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/20 16:22
-	42	372/18.ccls. and (passive$2 near3 mode near3 lock$3) not (saturable near3 absor$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/20 16:27
-	1	(372/18.ccls. and (passive$2 near3 mode near3 lock$3) not (saturable near3 absor$6)) and ((misalign$6 or tilt$3 or unalign$6 or (out near3 alignment)) with (mirror$1 or reflect$3 or (output near3 coupl$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/20 16:28
-	40	(372/18.ccls. and (passive$2 near3 mode near3 lock$3) not (saturable near3 absor$6)) and (mirror$1 or reflect$3 or (output near3 coupl$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/20 16:29
-	18	((372/18.ccls. and (passive$2 near3 mode near3 lock$3) not (saturable near3 absor$6)) and (mirror$1 or reflect$3 or (output near3 coupl$3))) and ring	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/20 16:29
-	2713367	passive$2 near$3 mode near$3 lock$3 and (pzt or piezoelectric or piezo adj electric) and ring and 372/$9.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 12:07
-	2713367	passive$2 near$3 mode near$3 lock$3 and (pzt or piezoelectric or (piezo adj electric)) and ring and 372/$9.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 12:07
-	2713367	passive$2 near$3 mode near$3 lock$3 and (pzt or piezoelectric or (piezo adj electric)) and ring and 372/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 12:56
-	147	(passive$2 near$3 mode near$3 lock$3) and (pzt or piezoelectric or (piezo adj electric)) and ring near3 cavity and 372/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 12:10
-	16862	(passive$2 near$3 mode near$3 lock$3) and 372/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 13:27
-	480	((passive$2 near$3 mode near$3 lock$3) and 372/$.ccls.) and (pzt or piezoelectric or (piezo adj electric)) and ring	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 12:57
-	295	((passive$2 near$3 mode near$3 lock$3) and 372/$.ccls.) and (pzt or piezoelectric or (piezo adj electric)) and ((ring or gyro$) near3 (cavity or laser))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 12:59
-	289	((passive$2 near$3 mode near$3 lock$3) and 372/$.ccls.) and (pzt or piezoelectric or (piezo adj electric)) and ((ring) near3 (cavity or laser))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 13:36

-	275	((passive$2 near3 mode near3 lock$3) or (passive$2 near3 frequnecy near3 lock$3)) and 372/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 13:29
-	1	(((passive$2 near3 mode near3 lock$3) or (passive$2 near3 frequnecy near3 lock$3)) and 372/$.ccls.) and ((pzt or piezoelectric or (piezo adj electric)) near3 (mirror$1 or reflect$4 or (outcoupl$3 or (out near3 coupl$3)))) and ((ring) near3 (cavity or laser))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 13:48
-	7	(((passive$2 near3 mode near3 lock$3) or (passive$2 near3 frequnecy near3 lock$3)) and 372/$.ccls.) and ((pzt or piezoelectric or (piezo adj electric)) with (mirror$1 or reflect$4 or (outcoupl$3 or (out near3 coupl$3)))) and ((ring) near3 (cavity or laser))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 13:47
-	120	(((passive$2 near3 mode near3 lock$3) or (passive$2 near3 frequnecy near3 lock$3)) and 372/$.ccls.) not saturable near3 absorber	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 13:48
-	27	(((passive$2 near3 mode near3 lock$3) or (passive$2 near3 frequnecy near3 lock$3)) and 372/$.ccls.) and (pzt or piezoelectric or (piezo adj electric)) and ring	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 13:57
-	8	((((passive$2 near3 mode near3 lock$3) or (passive$2 near3 frequnecy near3 lock$3)) and 372/$.ccls.) not saturable near3 absorber) and (pzt or piezoelectric or (piezo adj electric)) and ring	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 15:01
-	0	((((passive$2 near3 mode near3 lock$3) or (passive$2 near3 frequnecy near3 lock$3)) and 372/$.ccls.) not saturable near3 absorber) and (pzt or piezoelectric or (piezo adj electric)) near3 tilt$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 13:58
-	0	(((passive$2 near3 mode near3 lock$3) or (passive$2 near3 frequnecy near3 lock$3)) and 372/$.ccls.) and (pzt or piezoelectric or (piezo adj electric)) near3 tilt$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 13:58
-	0	(((passive$2 near3 mode near3 lock$3) or (passive$2 near3 frequnecy near3 lock$3)) and 372/$.ccls.) and (pzt or piezoelectric or (piezo adj electric)) with tilt$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 13:58
-	8	((((passive$2 near3 mode near3 lock$3) or (passive$2 near3 frequnecy near3 lock$3)) and 372/$.ccls.) not saturable near3 absorber) and (pzt or piezoelectric or (piezo adj electric)) and ring	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 15:00
-	44	((((passive$2 near3 mode near3 lock$3) or (passive$2 near3 frequnecy near3 lock$3)) and 372/$.ccls.) not saturable near3 absorber) and ring	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 15:28
-	57	laser near3 diode$1 and cavity near3 parameter$1 and mode near3 lock$3 and mirror$1	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 15:34
-	20	laser near3 diode$1 and cavity near3 parameter$1 and passive$2 near3 mode near3 lock$3 and mirror$1	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 15:37
-	530	372/19.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 15:37
-	507	372/19.ccls. not (saturable near3 absorber)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 15:42
-	2	(372/19.ccls. not (saturable near3 absorber)) and laser near3 diode$1 and passive$2 near3 mode near3 lock$3 and mirror$1	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 15:39

-	73	372/15.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 15:41
-	0	372/15.ccls. and passive$2 near3 mode near3 lock$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 15:41
-	3	372/15.ccls. and mode near3 lock$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 15:40
-	634	372/25.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 15:47
-	56	372/25.ccls. and passive$2 near3 mode near3 lock$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 15:45
-	20	(372/25.ccls. and passive$2 near3 mode near3 lock$3) not (saturable near3 absorber)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 15:42
-	521	372/23.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 15:45
-	8	372/23.ccls. and passive$2 near3 mode near3 lock$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 15:47
-	235	372/30.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 15:47
-	16	372/30.ccls. and passive$2 near3 mode near3 lock$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 15:50
-	5652	372/43.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 15:49
-	758	372/43.ccls. and laser near3 diode	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 15:50
-	62	(372/43.ccls. and laser near3 diode) and ring	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 15:50
-	6	(372/43.ccls. and laser near3 diode) and passive$2 near3 mode near3 lock$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 15:51
-	822	372/94.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 15:59
-	37	372/94.ccls. and passive$2 near3 mode near3 lock$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 15:59
-	1165	372/99.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 16:01

-	32	372/99.ccls. and passive$2 near3 mode near3 lock$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 16:01
-	770	372/107.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 16:19
-	5	372/107.ccls. and passive$2 near3 mode near3 lock$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 16:19
-	907	372/108.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 16:19
-	13	372/108.ccls. and passive$2 near3 mode near3 lock$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/21 18:09